



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1430
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/743,719	12/24/2003	Akihiko Ito	117938	8334

25944 7590 08/04/2006

OLIFF & BERRIDGE, PLC
P.O. BOX 19928
ALEXANDRIA, VA 22320

EXAMINER

WU, XIAO MIN

ART UNIT	PAPER NUMBER
----------	--------------

2629

DATE MAILED: 08/04/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/743,719	Applicant(s) ITO, AKIHIKO	
	Examiner XIAO M. WU	Art Unit 2629	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 April 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 24 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>4/28/06;11/28/05</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-12, 14 and 17 are rejected under 35 U.S.C. 102(b) as being anticipated by Yamazaki et al. (US Patent No. 6,215,466).

As to claim 1, Yamazaki discloses a driving method for an electro-optical device (e.g. liquid crystal display) that performs gradation display of pixels by using a plurality of sub-fields defined by dividing a predetermined period (e.g. as shown in Fig. 3A, four subfields are defined by dividing a predetermined period such as 1, 2, 4 and 8), the driving method comprising: setting level values (e.g. 0, 1, ..., 60, gradation levels), as data for the corresponding sub-fields that is supplied to the pixels, by selecting the level values from among three or more different level values in accordance with gradation data in such a manner that the absolute value of the amount of change in data between adjacent sub-fields is a predetermined amount of change or less (see gradation levels "43" as shown in Fig. 3(A)); and performing the gradation display of the pixels by supplying the data set for the corresponding sub-fields to the pixels (see Fig. 4).

As to claim 2, Yamazaki discloses a driving method for an electro-optical device (e.g. liquid crystal display) that performs gradation display of pixels by using a plurality of sub-fields defined by dividing a predetermined period (e.g. as shown in Fig. 3A, four subfields are defined by dividing a predetermined period such as 1, 2, 4 and 8), the driving method comprising: setting

Art Unit: 2629

level values (e.g. 0, 1,..., 60, gradation levels), as data for the corresponding sub-fields that is supplied to the pixels, by selecting the level values from among three or more different level values in accordance with gradation data in such a manner that the level values are adjacent to each other (see gradation levels “43” as shown in Fig. 3(A)); and performing the gradation display of the pixels by supplying the data set for the corresponding sub-fields to the pixels (see Fig. 4).

As to claim 3, Yamazaki discloses a driving method for an electro-optical device (e.g. liquid crystal display) that performs gradation display of pixels by using a plurality of sub-fields defined by dividing a predetermined period (e.g. as shown in Fig. 3A, four subfields are defined by dividing a predetermined period such as 1, 2, 4 and 8), the driving method comprising: selecting level values (e.g. 0, 1,..., 60, gradation levels), as data for the corresponding sub-fields that is supplied to the pixels, from among three or more different level values in accordance with gradation data and of changing the level values within the adjacent level values in accordance with an increase of gradation values defined by the gradation data (see gradation levels “43” as shown in Fig. 3(A)); and performing the gradation display of the pixels by supplying the data set for the corresponding sub-fields to the pixels (see Fig. 4).

As to claim 4, Yamazaki discloses that the data being a data voltage, and the level values being set by voltage values (see Fig. 4).

As to claims 5, 14, it is inherent that the voltage values can be represented by a current value since the voltage value is proportional to the current value in accordance with the resistance of the electrode.

As to claim 6, Yamazaki discloses a driving method for an electro-optical device (e.g. liquid crystal display) that performs gradation display of pixels by using a plurality of sub-fields defined by dividing a predetermined period (e.g. as shown in Fig. 3A, four subfields are defined by dividing a predetermined period such as 1, 2, 4 and 8), the driving method comprising: setting level values (e.g. 0, 1,..., 60, gradation levels), as data for the corresponding sub-fields that is supplied to the pixels, by selecting the level values from among a plurality of different level values in accordance with gradation data (see Fig. 3A); writing the data to the pixels by supplying the data set for the corresponding sub-fields to the pixels by current levels (see Fig. 4); and performing the gradation display of the pixels by setting driving currents corresponding to the data written to the pixels and by supplying the set driving currents to electro-optical elements that emit light at brightnesses corresponding to the driving currents (see Fig. 4).

As to claim 7, Yamazaki discloses an electro-optical device that performs gradation display of pixels by using a plurality of sub-fields defined by dividing a predetermined period, the electro-optical device (e.g. liquid crystal display) comprising: a plurality of scanning lines (see Fig. 4); a plurality of data lines (Fig. 4); a plurality of pixels ($Z_{n,m}$, Fig. 4) provided in accordance with crossing of the scanning lines and the data lines; a scanning line driving circuit that selects one of the scanning lines corresponding to one of the pixels to which data is written by outputting a scanning signal to the one of the scanning lines (see Fig. 4); a data conversion circuit (e.g. A/D converter in Fig. 4) that sets level values, as the data for the corresponding sub-fields, the data being generated by converting gradation data, by selecting the level values from among three or more different level values (see Fig. 3A) in such a manner that the amount of change in data between adjacent sub-fields is a predetermined amount of change or less; and a

Art Unit: 2629

data line driving circuit that cooperates with the scanning line driving circuit and that outputs the data for the corresponding sub-fields, the data being generated by the data conversion circuit, to one of the data lines corresponding to the one of the pixels to which the data is written (see Fig. 4).

As to claim 8, Yamazaki discloses the predetermined amount of change being one step level corresponding to the amount of change between the level values that are adjacent to each other (see Fig. 3A).

As to claim 9, Yamazaki discloses an electro-optical device (e.g. liquid crystal display) that performs gradation display of pixels by using a plurality of sub-fields defined by dividing a predetermined period (e.g. as shown in Fig. 3A, four subfields are defined by dividing a predetermined period such as 1, 2, 4 and 8), the electro-optical device comprising: a plurality of scanning lines (Fig. 4); a plurality of data line (see Fig. 4)s; a plurality of pixels ($Z_{n,m}$, Fig. 4) provided in accordance to crossing of the scanning lines and the data lines; a scanning line driving circuit that selects one of the scanning lines corresponding to one of the pixels to which data is written by outputting a scanning signal to the one of the scanning lines; a data conversion circuit (e.g. A/D converter in Fig. 4) that sets level values, as the data for the corresponding sub-fields, the data being generated by converting gradation data, by selecting the level values from among three or more different level values (see Fig. 3A) in such a manner that the level values are adjacent to each other; and a data line driving circuit that cooperates with the scanning line driving circuit and outputs the data for the corresponding sub-fields, the data being generated by the data conversion circuit, to one of the data lines corresponding to the one of the pixels to which the data is written (see Fig. 4).

As to claim 10, Yamazaki discloses an electro-optical device (e.g. liquid crystal display) that performs gradation display of pixels by using a plurality of sub-fields defined by dividing a predetermined period (e.g. as shown in Fig. 3A, four subfields are defined by dividing a predetermined period such as 1, 2, 4 and 8), the electro-optical device comprising: a plurality of scanning lines (Fig. 4); a plurality of data lines (Fig. 4); a plurality of pixels ($Z_{n,m}$, Fig. 4) provided in accordance to crossing of the scanning lines and the data lines; a scanning line driving circuit that selects one of the scanning lines corresponding to one of the pixels to which data is written by outputting a scanning signal to the one of the scanning lines; a data conversion circuit (e.g. A/D converter in Fig. 4) that selects the data for the corresponding sub-fields, the data being generated by converting gradation data, from among three or more different level values (see Fig. 3A) and that changes the level values within the adjacent level values in accordance with an increase of gradation values defined by the gradation data; and a data line driving circuit that cooperates with the scanning line driving circuit and that outputs the data for the corresponding sub-fields, the data being generated by the data conversion circuit, to one of the data lines corresponding to the one of the pixels to which the data is written (see Fig. 4).

As to claim 11, Yamazaki discloses the data line driving circuit outputting the data for the corresponding sub-fields to the one of the data lines by voltage levels (see Fig. 3A).

As to claim 12, Yamazaki discloses the one of the pixels including: a switching element (e.g. transistor as shown in Fig. 4) whose conduction is controlled by the scanning signal for the one of the scanning lines; and an electro-optical element including a pair of electrodes and liquid crystal held between the pair of electrodes, the transmittance or the reflectance of the electro-

optical element being changed in accordance with the data supplied by voltage levels from the one of the data lines via the switching element (see Fig. 4).

As to claim 17, Yamazaki discloses an electronic apparatus (e.g. LCD) provided with the electro-optical device.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 13, 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamazaki et al. (US Patent No. 6,215,466) in view of Adachi et al. (US Patent No. 6,924,824).

As to claim 13, 15 and 16, Yamazaki discloses an electro-optical device (e.g. liquid crystal display) that performs gradation display of pixels by using a plurality of sub-fields defined by dividing a predetermined period (e.g. as shown in Fig. 3A, four subfields are defined by dividing a predetermined period such as 1, 2, 4 and 8), the electro-optical device including: a plurality of scanning lines (see Fig. 4); a plurality of data lines (see Fig. 4); a plurality of pixels ($Z_{n,m}$, Fig. 4) provided in accordance to crossing of the scanning lines and the data lines, a driving element (e.g. transistor of Fig. 4) that sets corresponding driving currents in accordance with the data; and an electro-optical element that emits light at brightnesses corresponding to the set driving currents; a scanning line driving circuit that selects one of the scanning lines corresponding to one of the pixels to which the data is written by outputting a scanning signal to the one of the scanning lines; a data conversion circuit (e.g. A/D converter in Fig. 4) that sets

level values, as data for the corresponding sub-fields that is supplied to the pixels, by selecting the level values from among a plurality of level values of different voltage values (see Fig. 3A) in accordance with gradation data; and a data line driving circuit that cooperates with the scanning line driving circuit and that outputs, by current levels, the data of voltage levels for the corresponding sub-fields, the data being generated by the data conversion circuit and being converted into data of current levels, to one of the data lines corresponding to the one of the pixels to which the data is written (see Fig. 3A, 4).

It is noted that Yamazaki does not specifically disclose each of the pixels including a holding device to hold data. Adachi is cited to teach a liquid crystal display device similar to Yamazaki. As shown in Fig. 6, Adachi discloses each of the pixels including a holding device (104) to hold data. It would have been obvious to one of ordinary skill in the art to have modified Yamazaki with the features of the capacitor for holding the voltage data for the pixel as taught by Adachi so that the pixel data can be maintained and displayed on the screen.

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The US Patents 5,459,495, 5,724,058, 5,861,869, 6,570,550, 6,894,671 and 7,057,597 are cited to teach a liquid crystal display device.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to XIAO M. WU whose telephone number is 571-272-7761. The examiner can normally be reached on 6:30 am to 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, RICHARD HJERPE, can be reached on 571-272-7691. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

X.W.

August 2, 2006



XIAO M. WU
Primary Examiner
Art Unit 2629